

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	(variable near3 (turbin e or nozzle)) and (((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:54
L2	1	2004-727560.NRAN.	DERWENT	OR	OFF	2004/11/22 08:07
L3	24	(variable near3 (turbin e or nozzle)) and (((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector))) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:41
L4	1	(60/600-603.ccls.) and (variable near3 (turbin e or nozzle)) and (((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector))) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:11
L5	1	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbin e or nozzle)) and (((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector))) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:11
L6	1	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbin e or nozzle)) and (((drive or drives or driving) near3 section) and ((angle or position) and (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector))) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:11
L7	11	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbin e or nozzle)) and ((angle or position) and (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector))) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:41

L8	8	(60/600-603.ccls.) and (variable near3 (turbin e or nozzle)) and ((drive or drives or driving) and section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:12
L9	29	(60/600-603.ccls.) and (variable near3 (turbin e or nozzle)) and (drive or drives or driving) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:31
L10	36	(60/600-624.ccls.) and (variable near3 (turbin e or nozzle)) and (drive or drives or driving) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:12
L11	38	(60/600-624.ccls. or 123/559.1-565. ccls.) and (variable near3 (turbin e or nozzle)) and (drive or drives or driving) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:37
L12	1	1998-358637.NRAN.	DERWENT	OR	OFF	2004/11/22 08:17
L13	15	(variable near3 (turbine or nozzle)) and ((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:41
L14	11	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbine or nozzle)) and ((angle or position) and (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:43

L15	15	(variable near3 (turbine or nozzle)) and ((drive or drives or driving) near3 section) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:41
L16	1	2004-727560.NRAN.	DERWENT	OR	OFF	2004/11/22 08:42
L17	11	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbine or nozzle)) and ((angle or position) and (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:43
L18	36	(f02b037/24.ipc. or f02b037/18.ipc.) and (variable near3 (turbine or nozzle)) and (angle or position) and (actuator or actuate or actuating or actuated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:43
L19	0	(variable near3 (turbine or nozzle)) and (drive or drives or driving or driver) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated) and (outpur near3 shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:56
L20	98	(variable near3 (turbine or nozzle)) and (drive or drives or driving or driver) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated) and (output near3 shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 08:57
L21	31	(variable near3 (turbine or nozzle)) and (drive or drives or driving or driver) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated) and (output near3 shaft) and ((rotate or rotates or rotation or rotational) near5 (angle or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 09:01

L22	23	(variable near3 (turbine or nozzle)) and (drive or drives or driving or driver) and ((angle or position) near3 (sensor or sense or senses or sensing or sensed or detect or detecting or detected or detects or detector)) and (actuator or actuate or actuating or actuated) and (output near3 shaft) and ((rotate or rotates or rotation or rotational) near3 (angle or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:02
L23	112	("60"/\$.ccls. or "415"/\$.ccls. or "123"/\$.ccls. or "477"/\$.ccls.) and ((electronic or electronical or electronically) near5 (actuator or actuate or actuating or actuated)) and (output near3 shaft) and ((rotate or rotates or rotation or rotational) near3 (angle or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:28
L24	2	("60"/\$.ccls. or "415"/\$.ccls. or "123"/\$.ccls. or "477"/\$.ccls.) and ((electronic or electronical or electronically) near5 (actuator or actuate or actuating or actuated)) and (output near3 shaft) and ((rotate or rotates or rotation or rotational) near3 (angle or position)) and (variable near3 (turbine or nozzle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:30